KERDOW CLADDING

E: info@kernowcladding.co.uk T: 0330 1220810

Why Natural Wood Cladding Technology?

Natural wood charring technology not only effectively protects the wood, revealing its natural properties: colour and texture, but also helps to acquire a more original look and charm over time.

The technology effectively protects the wood from:

- Humidity
- UV rays
- Mold
- Parasites

Wood Charring

Fire (the wood becomes more fire-resistant). technology requires craftsmanship and precision. Our wide experience lets us find the most suitable solutions for your needs. To achieve the best result, we always strive to choose the right treatment methods and ensure high-quality products.

Wood charring technology and the resistance it provides are often used for cladding, decking, or fences, but it is also becoming an increasingly popular choice for cosy interior spaces.


About Our Suppliers

Our suppliers have mastered the natural, eco-friendly Yaki Sugi wood charring method. Their cherished Japanese Yakisugi wood preservation technology, which is gaining popularity in the Western world, came to the UK recently but has already gained recognition. Their goal is to protect wood surfaces naturally and sustainably.

Using this technology, they reveal the subtleties of the natural wood structure that acquires an even more original look over time. Following tradition and applying advanced charring technology, they give your home coziness and exclusivity.

Our long and successful partnership with our supplier allows us to offer the highest quality and services at a reasonable price.







Our Products

CARBON is the most popular choice not only because of its exceptional look but also because of the protective properties it provides. It is burnt, unbrushed wood prepared using authentic Yakisugi technology. The wood treated with the CARBON method is the most resistant to the effects of the atmosphere and time flow. It is recommended for vertical surfaces.

CARBON SPRUCE



BLACK is a popular type of wood processing in which the surface of the wood is brushed once after burning. After this process, the slightly silky surface is covered with a layer of oil, which gives the wood an elegant shine, highlighting its natural structure. This solution is suitable not only for vertical but also for horizontal surfaces.

BLACK SPRUCE







BLACK THERMO ASH



GREY wood processing method combines practical design solutions, highlights the properties of natural wood, and protects it from the effects of the atmosphere and damage over time. This choice provides a long-lasting effect and beauty that deepens as time goes by. This solution is suitable not only for vertical but also for horizontal surfaces.





GREY ACCOYA



GREY THERMO ASH



ANTHRACITE wood processing method combines calm and classic tones, focusing on the natural beauty of the wood: its patterns and texture. This choice is appealing to those looking for a natural-looking but stylish and unusual result. This solution is suitable not only for vertical but also for horizontal surfaces.

ANTHRACITE SPRUCE



ANTHRACITE LARCH



ANTHRACITE ACCOYA



ANTHRACITE THERMO ASH



WALNUT is designed for those who like natural but expressive wood. This method will give warmth, coziness, enrich, and decorate your home. Brown tones will highlight the natural texture of the wood and allow you to enjoy durable surfaces that blend in with nature. This solution is suitable not only for vertical but also for horizontal surfaces.

WALNUT SPRUCE



WALNUT LARCH



WALNUT ACCOYA




WALNUT THERMO ASH





TEAK is designed for classics lovers looking for rich and dark shades that remind them of tropical lands. This type of wood charring combines high-quality protection from various atmospheric and weather effects and reveals the properties of the selected wood in the most subtle way. This solution is suitable not only for vertical but also for horizontal surfaces.



NATURAL is a solution of cozy and natural shades for those who love simplicity. This type of wood charring combines high-quality protection from various atmospheric and weather effects and reveals the properties of the selected wood in the most subtle way. This solution is suitable not only for vertical but also for horizontal surfaces.

NATURAL SPRUCE



NATURAL LARCH



NATURAL ACCOYA



